T Marchay	pita I	Search Text	DB	Time stamp
L Number	5955	central\$5 NEAR (configur\$3 OR	USPAT;	2003/02/28 09:14
1	3,33	configurat\$5)	US-PGPUB;	
ļ		,	EPO; JPO;	
1		·	DERWENT;	
			IBM_TDB	0000 (00 (00 00 00
2	28571	central\$5 NEAR5 (configur\$3 OR	USPAT;	2003/02/28 09:30
	i	configurat\$5)	US-PGPUB;	
			EPO; JPO; DERWENT;	
	-		IBM TDB	
_	73	(central\$5 NEAR5 (configur\$3 OR	USPAT;	2003/02/28 10:01
3	73	configurat\$5)) NEAR20 (repository! OR	US-PGPUB;	2000, 02, 20 21112
1		metadata! OR "meta data")	EPO; JPO;	
			DERWENT;	•
ļ.			IBM_TDB	
4	19	((central\$5 NEAR5 (configur\$3 OR	USPAT;	2003/02/28 09:40
		configurat\$5)) NEAR20 (repository! OR	US-PGPUB;	
Į		metadata! OR "meta data")) NOT	EPO; JPO;	
		@AD>19981230	DERWENT; IBM TDB	1
_	7400	(database\$2 OR "data base" OR dbms!) NEAR2	USPAT;	2003/02/28 09:23
5	7400	(database\$2 OR "data base" OR dbms!) NEAR2 (performance! OR operation\$2)	US-PGPUB;	2000,02,20 09.20
		(perrormance: ox operacronyz)	EPO; JPO;	
•		,	DERWENT;	
			IBM_TDB	
6	6.		USPAT;	2003/02/28 09:24
-		configurat\$5)) SAME ((database\$2 OR "data	US-PGPUB;	
		base" OR dbms!) NEAR2 (performance! OR	EPO; JPO;	
		operation\$2))	DERWENT;	
	'		IBM_TDB	0000/00/00 10-04
7	137		USPAT; US-PGPUB;	2003/02/28 10:04
		NEAR2 (performance! OR operation\$2)) SAME (repository! OR metadata! OR "meta data")	EPO; JPO;	
		(repository: Ok metadata: Ok meta data )	DERWENT;	,
			IBM TDB	
9	8	(central\$5 NEAR5 (configur\$3 OR	USPAT;	2003/02/28 09:30
	,	configurat\$5)) AND (((database\$2 OR "data	US-PGPUB;	
		base" OR dbms!) NEAR2 (performance! OR	EPO; JPO;	
		operation\$2)) SAME (repository! OR	DERWENT;	
		metadata! OR "meta data"))	IBM_TDB	0000/00/00 10:11
10 ·	30	(central\$5 NEAR5 (configur\$3 OR	USPAT; US-PGPUB;	2003/02/28 10:11
•		configurat\$5)) AND ((database\$2 OR "data base" OR dbms!) NEAR2 (performance! OR	EPO; JPO;	
		operation \$2)) AND (repository! OR	DERWENT;	
		metadata! OR "meta data") NOT @AD>19981230	IBM TDB	
11	553		USPĀT;	2003/02/28 09:40
		metadata! OR "meta data")	US-PGPUB;	
			EPO; JPO;	
		1	DERWENT;	
			IBM TDB	2002/02/20 00:40
12	51	((database\$2 OR "data base" OR dbms!)	USPAT;	2003/02/28 09:40
		NEAR2 (performance! OR operation\$2)) AND	US-PGPUB; EPO; JPO;	
		(centralized! SAME (repository! OR metadata! OR "meta data"))	DERWENT;	
		mecadaca: On meca daca //	IBM TDB	
13	8	(((database\$2 OR "data base" OR dbms!)	USPAT;	2003/02/28 09:48
13		NEAR2 (performance! OR operation\$2)) AND	US-PGPUB;	
		(centralized! SAME (repository! OR	EPO; JPO;	
		metadata! OR "meta data"))) NOT .	DERWENT;	
		@AD>19981230	IBM_TDB	0000/00/00 05
14	622		USPAT;	2003/02/28 09:46
		analytical"	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
15	1604	oltp! OR "online transaction" OR "on-line	USPAT;	2003/02/28 09:48
15	1004	transaction"	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
1	i		IBM TDB	

16	85	(Olap! OR "online analytical" OR "on-line	IICDAT.	1 2002 /02 /20 00 40
16	83	analytical") AND (oltp! OR "online	USPAT; US-PGPUB;	2003/02/28 09:48
		transaction" OR "on-line transaction")	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
17	10		USPAT;	2003/02/28 09:48
İ		configurat\$5)) AND ((olap! OR "online	US-PGPUB;	
		analytical" OR "on-line analytical") AND (oltp! OR "online transaction" OR "on-line	EPO; JPO; DERWENT;	,
		transaction"))	IBM TDB	
18	1	((central\$5 NEAR5 (configur\$3 OR	USPAT;	2003/02/28 10:01
	· -	configurat\$5)) AND ((olap! OR "online	US-PGPUB;	
		analytical" OR "on-line analytical") AND	EPO; JPO;	
		(oltp! OR "online transaction" OR "on-line	DERWENT;	
		transaction"))) NOT @AD>19981230	IBM_TDB	
19	1524		USPAT;	2003/02/28 09:54
		warehouse" Or datamart\$2 OR "data mart"	US-PGPUB;	•
			EPO; JPO; DERWENT;	
			IBM TDB	
20	610	datacube\$2 OR "data cubes" OR "data	USPAT;	2003/02/28 09:55
		warehouses" Or datamart\$2 OR "data marts"	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
21	2044	(-11 OD H111 OD H 1	IBM_TDB	
21	2044	<pre>(olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube"</pre>	USPAT;	2003/02/28 09:56
		OR "data warehouse" Or datamart\$2 OR "data	US-PGPUB; EPO; JPO;	
		mart") OR (datacube\$2 OR "data cubes" OR	DERWENT;	
		"data warehouses" Or datamart\$2 OR "data	IBM TDB	
	· .	marts")	_	
22	92	(oltp! OR "online transaction" OR "on-line	USPAT;	2003/02/28 10:02
		transaction") SAME ((olap! OR "online	US-PGPUB;	
		analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data	EPO; JPO;	
		warehouse" Or datamart\$2 OR "data mart")	DERWENT; IBM TDB	·
¥		OR (datacube\$2 OR "data cubes" OR "data	1011_100	
		warehouses" Or datamart\$2 OR "data		
	·	marts"))		
23	23	(oltp! OR "online transaction" OR "on-line	USPAT;	2003/02/28 09:57
		transaction") SAME ((olap! OR "online	US-PGPUB;	
	,	analytical" OR "on-line analytical") OR	EPO; JPO;	
		(datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart")	DERWENT;	
		OR (datacube\$2 OR "data cubes" OR "data	IBM_TDB	
1		warehouses" Or datamart\$2 OR "data		
		marts")) SAME (load\$3 OR cost\$2)		
24	59	((oltp! OR "online transaction" OR	USPAT;	2003/02/28 10:01
		"on-line transaction") SAME ((olap! OR	US-PGPUB;	
1		<pre>"online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube"</pre>	EPO; JPO;	
		OR "data warehouse" Or datamart\$2 OR "data cube"	DERWENT; IBM TDB	
		mart") OR (datacube\$2 OR "data cubes" OR	1011_100	
		"data warehouses" Or datamart\$2 OR "data		
		marts"))) AND (repository! OR metadata! OR		
		"meta data")		
25	11	(((oltp! OR "online transaction" OR	USPAT;	2003/02/28 10:01
		<pre>"on-line transaction") SAME ((olap! OR "online analytical" OR "on-line</pre>	US-PGPUB;	
		analytical") OR (datacube\$2 OR "data cube"	EPO; JPO; DERWENT;	
		OR "data warehouse" Or datamart\$2 OR "data	IBM TDB	**
		mart") OR (datacube\$2 OR "data cubes" OR		
	i	"data warehouses" Or datamart\$2 OR "data		
		marts"))) AND (repository! OR metadata! OR		
		"meta data")) NOT @AD>19981230		

26	. 2	(central\$5 NEAR5 (configur\$3 OR configurat\$5)) AND (oltp! OR "online transaction" OR "on-line transaction") AND	USPAT; US-PGPUB; EPO; JPO;	2003/02/28 10:11
		((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data	DERWENT; IBM_TDB	
		mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) NOt @AD>19981230		
27	0	transaction") AND ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) AND (repository! OR metadata! OR	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 10:10
28	375	"meta data") NOT @AD>1998 ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 10:34
29	3	(central\$5 NEAR5 (configur\$3 OR configurat\$5)) AND (((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2)) NOT @AD>1981230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 10:28
	2298		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/28 11:15
31	50	(((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2)) AND (configur\$6 SAME (repository! OR metadata! OR "meta data"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 10:41
32	7		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 10:28
33	26	configur\$6 AND (repository! OR metadata! OR "meta data") AND (((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 10:31
		warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2)) NOT @AD>19981230		

34	19	(configur\$6 AND (repository! OR metadata! OR "meta data") AND ((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts") SAME (oltp! OR transaction\$2)) NOT @AD>19981230) NOT ((((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouses" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cube" OR "data warehouses" Or datamart\$2 OR "data mart") OR (configur\$6 SAME (repository! OR metadata! OR "meta data"))) NOT @AD>19981230)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 10:32
35	31	((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2) SAME (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 10:38
36 ·	5	(((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2)) AND (automatic\$4 NEAR5 (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5)) NOT @AD>19981230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 10:40
37	18672		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/28 10:40
38	41	((((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) SAME (oltp! OR transaction\$2)) OR (configur\$6 SAME (repository! OR metadata! OR "meta data"))) SAME ((automatic\$4 NEAR5 (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5))) NOT @AD>19981230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 10:44
,	57	((repository! OR centralized!) SAME ((automatic\$4 NEAR5 (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5)))) NOT @AD>19981230	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/02/28 10:52
40	2	((((olap! OR "online analytical" OR "on-line analytical") OR (datacube\$2 OR "data cube" OR "data warehouse" Or datamart\$2 OR "data mart") OR (datacube\$2 OR "data cubes" OR "data warehouses" Or datamart\$2 OR "data marts")) OR (oltp! OR "online transaction" OR "on-line transaction")) SAME ((automatic\$4 NEAR5 (configur\$4 OR configurat\$5 OR reconfigur\$5 OR selfconfigur\$5)))) NOT @AD>19981230	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 10:53

41	337	((database\$2 OR "data base") SAME	USPAT;	2003/02/28 11:08
		((automatic\$4 NEAR5 (configur\$4 OR	US-PGPUB;	
		configurat\$5 OR reconfigur\$5 OR	EPO; JPO;	
		selfconfigur\$5)))) NOT @AD>19981230	DERWENT;	
			IBM_TDB	
42	66	(((database\$2 OR "data base") NEAR20	USPAT;	2003/02/28 11:14
		(management! OR server\$2)) SAME	US-PGPUB;	
		((automatic\$4 NEAR5 (configur\$4 OR	EPO; JPO;	
		configurat\$5 OR reconfigur\$5 OR	DERWENT;	
		selfconfigur\$5)))) NOT @AD>19981230	IBM_TDB	
43	362	(server\$2 SAME ((automatic\$4 NEAR5	USPAT;	2003/02/28 11:15
		(configur\$4 OR configurat\$5 OR	US-PGPUB;	
		reconfigur\$5 OR selfconfigur\$5)))) NOT	EPO; JPO;	
		@AD>19981230	DERWENT;	
			IBM_TDB	
44	56	((server\$2 SAME ((automatic\$4 NEAR5	USPAT;	2003/02/28 11:16
		(configur\$4 OR configurat\$5 OR	US-PGPUB;	
		reconfigur\$5 OR selfconfigur\$5)))) NOT	EPO; JPO;	
2 4		@AD>19981230) AND (repository! OR	DERWENT;	
		metadata! OR "meta data") NOT @AD>19981230	IBM_TDB	
45	50	(((server\$2 SAME ((automatic\$4 NEAR5	USPAT;	2003/02/28 11:16
		(configur\$4 OR configurat\$5 OR	US-PGPUB;	
		reconfigur\$5 OR selfconfigur\$5)))) NOT	EPO; JPO;	
		@AD>19981230) AND (repository! OR	DERWENT;	
		metadata! OR "meta data") NOT .	IBM_TDB	
		@AD>19981230) NOT ((((database\$2 OR "data	_	
	ļ	base") NEAR20 (management! OR server\$2))		
		SAME ((automatic\$4 NEAR5 (configur\$4 OR		
		configurat\$5 OR reconfigur\$5 OR		
		selfconfigur\$5)))) NOT @AD>19981230)		